

17/12 77. ² described by, I think, mon. (S. Am., 8. v. 102-103) as
a black-tailed sp. $\times 2 = 800 \text{ g}$. M^{m} , $\text{as} \text{ } \text{V} \text{ } \text{V}$ 13 in. M^{m}
Hab. Egg. V. V. Found in wallert. 9. C. $\frac{1}{2}$ in. C open mouth
15 mm over eye 261 ft. L^{g} - 8 ft and egg 15 mm long $\frac{1}{2}$
sp.

19/11/79 - 2^o V K 1 Stearyl 9-10% i Brønshøj Vornameen af 20. 132
Protokoll Tidet 1.10. 2^o C 6 Åre yder.

12/12 80 Nellie le-a gr w/16 mon. 2nd tooth 2-16 ft 86". & 80 days
15th 1971 ~ 100 days 3-16 gr w/16 ft. No protocon.

20/2.81. (Nyligt hittades en annan "C. n. f. " där "n" är det
med 9 fl; c- makt. v, vcl, & "f" -jula 2 kallolik vcl, &
vcl 3 ph wfb. - C. le. vitans, & v. a. v. l.; & V. 9 er ad. vcl.

"1/12 88 measured at 1 degree δ Capricorn (C 25 N) at 1000 ft.
 δ Reg. 25 $^{\circ}$ 10' m. at 1000 ft. Sapp. 0.06 sec.

14/2 n clea & striped on anal l. with 8, cap. 8e
CD. 21. 1 nt, c. ap.

7/7 82 6 eggs laid by a. w. w. on 2 p. m.th. Found 6 13/16 ~
10 weeks ago right off shore.

21/1. 83. Meyer & von Wettstein - unisexual morphs of a Vesperid
Anch. φ 2-10 mm. δ 2-5 mm.

7/2. 86. Fe^{+2} -w₁, 20°, ~² (left) Verdunstung / kon. 20% HCl
28.2.