

(longulus cinn.)

Rücke • Brandenburgischer) 3/8. 21. an den König.

sp. 8 sp. p. 180, h. 8° <sup>2</sup> for fully developed; a very liberal increase of 30% to 62% of V<sub>b</sub> - the c.v. of loss of ESR is 9 times greater than V<sub>b</sub>. If we can, say, reduce one factor -

+ 2' C. (vp), 19° EWT 211°. v.v.v., dry volcanic area & volcanic 190 ft. long as st. p. 3 b. 6' 4"  
" 2' 6" - 2' 6" cm & 3' 6" fm, - 2' 6" C peat bed c N. 200' & 3' 6" diameter M. Coal S. ~ c

13/8. 21. Anns. - Janres

en 1918<sup>te</sup> Myces e c v. scad. nyt de v. færaa "to ca. 15c ffældg. pr. . 8 Januar  
9 k. 5 40m. - Januar 1st (op <sup>as interius</sup> Skæring) 12/8. af f. Dant's et cipn. o. v. v.  
p. t. s. a. w. c. a. l. a. f. c. a. h. 1. a. c. f. o. n. d. 2. 5 8 8 8 a. - 15 8 5 c. u. e. d. u. g. p. y. b.  
a. n., 6 p. o. 2 - 1205 - & M. 105 p. N. v. h. & o. v. y. h.  
unværl. c 21/8 h. af y. g. e.

25/10. 21 (group. growth w/ 90% <sup>inf</sup>, 1 of 15). Annu. Min. St 29/10. n wt 22.0%)  
wt to " 100.

26/1. 22. *Convolvulus*. VV x 100<sup>thick</sup> (gr. lvs & fls, fls <sup>whole</sup>). " to determine of agreement w  
w & D. N. would def., we ate whole plant & found S. th., no fruit, but root & top ( - S. & R.) 2 lbs.  
*Spergularia* + small tuft of grass 318 ft. 25° W. <sup>whole</sup>, c. 1 gr. if n cof at side of Sprea.  
27/1. 22 " *Juniperus* 2250 155 ft. 50 ft.