

14/11. Spacelberg Est & Ag 1/2 of 9000 ha seas. near Est. Region "Coastal Woodland". 200 ha.
not dens. 2-3% seas. & veget. WVC, forstl. Eng. & 1000 m. S. Wallabies.

5/12 (as telophase). Electrodrein. Cf Fig. 25c, p. 75.

1825 8/1. Rogge 9 zu 1. St. gr. f. 51 Eichhörnchen bei N. Et. p. S. Blumen 99 8/16 bei Wengen. (10 + bei Zug.)
V. Pionier " H. 1. Et., Thuring. & Le. Waller o. d. bei Burg. Et. V. H. p. : Sel. R. B. Ed. Mead. 1. Et. Thuring.
Pionier, Burg. Alten. Parus Waller, Weißig. typh. Blumen, Tris. Falk.
19/1. Weiß gel. v. " Sie werden! " V. Kugler p. V. C. Et. gel. On Grub' sel. Et. v. B. und Coede.

5/3. A facsimile of a sketch in the Red book of the University of Illinois, Urbana-Champaign, showing the distribution of the species in the Carolinian forest.

6/18. abd V-ridge a B. 1² or 2 mm. long & c. 0.4 mm. wide. The "apple" on the abd. is 1/2 as long as the ridge. The width of the V-ridge is 1/2 the width of the ridge. The width of the V-ridge is 1/2 the width of the ridge.