



Kamm (ephe), angedeutet und voll ausgeführt

1.) 4 Evangelien-Symbole in Arkaden

2.) " " " " " " " "




3.)  4x


4.)  3x

5.) " " " "


6.) " " " "

7.) 

8.)  ← Atlant

9.) 

10.) 2mal.

11.)  ← Atlant

12.) 2mal.

13.) —

14.)  ← Vogel

15. + 16.) 2mal. , 17-25

Brev. Lat.

①

Florent $\sqrt{\text{Plut. 50.12}}$

Hand A fol. 1^r - 7^v, 36^r - 38^v f. 24, fol. 39^r - 43^v

ox ox A xx x² m3 m4
cc an f. l. uncl. l. p. b. = b. m

Hand B f. 8^r - 16^r f. 3 (?), f. ebd. f. 15 out run -
f. 18^v f. 7

o e v h q. ÷ x

Hand C f. 16^r f. 4 - 15 q. an. unq. cc

Nathoxy

{ Hand D f. 18^v f. 8 - 20 un.

{ Hand E f. 18^v f. 20 ad. uncta - f. 19^v

Hand F f. 20^r - 35^v

Hand G f. 38^v f. 25 - 40

C h h x cc

woll - F?

Hand H f. 44ⁿ - 51^v

Hand? f. 52ⁿ - 75^v z. 29

(viell. stammen auch die kleinsten 5 von W. Strahlen
aus England)

a) f. 75^v und von dieser Hand?

- A Hand G f. 36^r - 43^v

- F Hand H fol. 44^r - 51^v

Hand J fol. 52^r - ~~74^v~~ ^{75^v} 75^v 2-29

et it x A ~ A E

(typogr. Reducere) Cop.istica, unguentis uel. uel. per
H v

A. N. Bandinus, Catalogus codicum Latinorum
bibliothecae Medicae Laurentianae 2 (1775) Sp. 507-509

f. ~~74~~ 70^v

Lyte Sene: Venis Vitalpudi abbatis NGH. Poetae 2, 359 Nr. X

Pars est de uetharicae sollus invento prima
Dicendi constat tunc condito ordo secundo

Mark Olson, Actus classici 1, S. 174 f.

Bibl. Naz. Centrali

Ms. BR. 231 (= B. A. 2 p. 3 no. 7 = Cod. Magl. Cl. XXXVI)

Florenz

letzte Seite fol. 274^v

x & A m̄ - m̄ f A q m̄ s
r b, A p A v N ~ C n N E
or ok

Hand A fol. 213^r - 274^v,
135^v - 211^v
130^r -
3^v - 128^v

Hand B fol. 212^r - fol. 212^v

x - f A C g p &

fol. 147^v f. 15 annehmend Korrekturen auf Penon von Italien. Hand
II. gl.?

Hand C fol. 135^r?

f 135^r?

Hand D fol. 129^rv

x A - g

14,2 : 10 cm

²⁰
fol. 7^v + 8^r falsch. Kombination der 13 od. 14. Jhs.

$$[30 \times 23 (22,5)] = 21,1 \times 15,8$$